2012 LAMINATOR

Model	Type			Type				Size			Max Speed (fpm)
	Cold	Hot	Heat Assist	Roll	Flatbed	Pouch	Liquid	Max Film Width (Inches)	Max Thickness(Inches)	Core Diameter (inches)	
Advanced Greig Laminators, 608-846-1025, www.myprintresource.com/10003621											
AGL 64C Laminator	X			X				62	2.38	3	20
AGL 64T Laminator		X		X				62	2.38	3	20
AGL 64I Laminator		X		X				62	1.25	3	20
AGL 4400 Laminator		X		X				42	1.75	3	15
AGL 6400 Laminator		X		X				62	2.38	3	20
AGL 8000R Laminator		X		X				79	2.13	3	20
AGL 8000S Laminator		X		X				79	2.13	3	20
AGL 8000T Laminator		X		X				79	2.13	3	20
AGL Compadre Laminator		X		X				62		3	10
AGL Encore DHR		X		X				62	1.19	3	15
AGL Encore Maxim		X		X				62	1.19	3	15
AGL Encore NH	X			X				62	1.19	3	15
AGL Encore SH		X		X				62	1.19	3	15
Coda Inc., 201-825-7400, www.myprintresource.com/10004482											
Codamount Laminator 26	X	X		X				26	2	3	20
Codamount Laminator 34	X	X		X				34	2	3	20
Codamount Laminator 44	X	X		X				44	2	3	20
Codamount Laminator 54	X	X		X				54	2	3	20
Codamount Laminator 64	X	X		X				64	2	3	20
Cold-Mount Laminator 26	X			X				26	2	3	20
Cold-Mount Laminator 34	X			X				34	2	3	20
Cold-Mount Laminator 44	X			X				44	2	3	20
Cold-Mount Laminator 54	X			X				54	2	3	20
D&K Group, Inc., 800-632-2314, www.myprintresource.com/10004751											
EXP 27 Space Saver	X	X				X		28	0.188	N/A	0.5
EXP 42 Plus	X	X		X				41	0.5	3	10
EXP 42 Pouch	X	X				X		41	0.5	N/A	3
EXP 44 Twin	X	X		X				43	0.25	3	10
EXP 62 Plus	X	X		X				61	0.5	3	10
EXP 63	X	X		X				62	1	3	10
EXP 65	X			X				67	2	3	21

Download a PDF of this chart at www.myprintresource.com/10522529

RESOURCE CHART (24+ INCHES)

	Roller Heating			Rewind/Unwind			Tension / Pressure		
	Single	Dual	Max Temp. (°F)	Rewind	Unwind	Output Slitting (Y/N/Optional)	Manual	Pneumatic	Base Price ($USD)
				X	X	Optional	X		$17,500
	X		320	X	X	Optional	X		$18,500
		X	320	X	X	Optional	X		$29,500
		X	320	X	X	Optional		X	$18,150
		X	320	X	X	Optional		X	$35,500
		X	320	X	X	Optional		X	$55,950
		X	320	X	X	Optional		X	$48,950
	X		320	X	X	Optional		X	$35,500
	X		100	X	X	Y			$9,995
		X	320	X	X	Optional	X		$21,900
		X	320	X	X	Optional	X		$24,400
				X	X	N	X		$15,100
	X		320	X	X	N	X		$16,100
	X	X	300	X	X	N	X		$4,975
	X	X	300	X	X	N	X		$5,570
	X	X	300	X	X	N	X		Call for Pricing
	X	X	300	X	X	N	X		$6,600
	X	X	300	X	X	N	X		$8,510
				Option	Option	N			$2,100
				Option	Option	N			$2,295
				Option	Option	N			$3,595
				Option	Option	N			$4,395
	X		300			N			Call for Pricing
		X	300	X	X	Y	X		$5,915
	X		300			N			$3,520
		X	230		X	N			$15,985
		X	300	X	X	Y	X		$11,000
		X	285	X	X	Y		X	$17,635
	X		140	X	X	N		X	$12,075

2012 LAMINATOR

Model	Type			Type				Size			Max Speed (fpm)
	Cold	Hot	Heat Assist	Roll	Flatbed	Pouch	Liquid	Max Film Width (Inches)	Max Thickness(Inches)	Core Diameter (inches)	
D&K Group, Inc., 800-632-2314, www.myprintresource.com/10004751											
Minikote		X		X				27	1	1	9.5
Minikote EZ		X		X				27	1	1	5
Superkote 42	X	X		X				41	0.5	2	15
Daige Inc., 800-645-3323, www.myprintresource.com/10004758											
EZ Glide	X						X	54			
Solo 25	X			X				25	0.50	3	7
Solo 38	X			X				38		3	7
Solo 55	X			X				55		3	7
Solo 65	X			X				65		3	7
Drytac, 800-280-6013, www.myprintresource.com/10005009											
AFC Smart Coater 1.6				X			X	60	0.125	3	9
AFC Smart Coater 2.2				X			X	86	0.125	3	9
AFC Smart Coater 3.2				X			X	128	0.125	3	6
JetMounter 34	X			X				34	1	3.5	10
JetMounter 44SHA	X			X				44.125	1	4	10
JetMounter 63Pro			X	X				63	2	5.5	12
JetMounter 63SHA								63	2	5.5	12
JetMounter 63SHA-HA	X		X	X				63	2	5.5	12
JetMounter 55 Fuzion	X		X	X				55	1	3	10
JetMounter 55SHA-HA	X		X	X				55	1	5	10
JetMounter ML25	X			X	X			25.5	0.375	2.5	
PhotoMate- UV Liquid Coater 24					X		X	24	0.50		100
XL-Wide Format UV Coater 60	X			X	X		X	60	3	3	100+
XL-Wide Format UV Coater 80	X			X	X		X	80	3	3	100+
GBC, 800-723-4000, www.myprintresource.com/10005486											
GBC 640t	X		X	X				64	0.5	2, 2.25, 3	18
GBC 2064Ct	X		X	X				64	1	2, 2.25, 3	30
GBC 2064WF-1	X	X		X				64	1	2, 2.25, 3	18
GBC 2080WFt		X		X				79	1	2, 2.25, 3	15
GBC Arctic Titan 1040WFc	X			X				41	0.5	2, 2.25, 3	15
GBC Arctic Titan 1064WFc	X			X				64	0.5	2, 2.25, 3	15

RESOURCE CHART (24+ INCHES)

	Roller Heating			Rewind/Unwind			Tension / Pressure		
	Single	Dual	Max Temp. (°F)	Rewind	Unwind	Output Slitting (Y/N/Optional)	Manual	Pneumatic	Base Price ($USD)
		X	325		X	Y		X	$1,985
		X	325		X	N	X		$1,540
		X	300	X	X	N	X		$5,505
									$695
				X		N	X		$1,295
				X		N	X		$1,695
				X		N	X		$2,195
				X		N	X		$2,700
				X	X	N		X	Call for Pricing
				X	X	N		X	Call for Pricing
				X	X	N		X	Call for Pricing
				X	X	N		X	Call for Pricing
				X	X	N		X	Call for Pricing
	X		248	X	X	N		X	Call for Pricing
				X	X	N		X	Call for Pricing
		X	110	X	X	N		X	Call for Pricing
	X		110	X	X	N		X	Call for Pricing
		X	110	X	X	N		X	Call for Pricing
				X	X	N	X		$295
						N	X		Call for Pricing
						N	X	X	Call for Pricing
						N	X	X	Call for Pricing
	Assist		140	X	X	N	X		Call for Pricing
	Assist		104	X	X	Optional	X		Call for Pricing
		X	300	X	X	Optional	X		Call for Pricing
	X		300	X	X	N	X		Call for Pricing
				X	X	N	X		Call for Pricing
				X	X	N	X		Call for Pricing

2012 LAMINATOR

Model	Type			Type				Size			Max Speed (fpm)
	Cold	Hot	Heat Assist	Roll	Flatbed	Pouch	Liquid	Max Film Width (Inches)	Max Thickness(Inches)	Core Diameter (inches)	
GBC, 800-723-4000, www.myprintresource.com/10005486											
GBC Catena 65		X		X				25	0.188	1, 2.25	5
GBC Catena 105		X		X				41	0.188	2.25, 3	5
GBC Falcon 3064WF-1	X	X		X				64	1	2, 2.25, 3	18
GBC Orca 4064WF-1	X	X		X				64	1	2, 2.25, 3	20
GBC Titan 1244WF-1	X	X		X				44	0.5	2, 2.25, 3	10
GBC Titan 1264WF-1	X	X		X				64	0.5	2, 2.25, 3	10
Marabu North America LP, 888-253-2778, www.myprintresource.com/10004451											
StarLam 1600 R							X	64		2, 3	
Neschen Americas, 410-540-8900, www.myprintresource.com/10006859											
NESCHEN AccuCoat 1600							X	60			5
ProSEAL Pouch laminator		X				X		44	0.25		1
SEAL 44 Ultra Plus	X	X		X				44	0.5		5
SEAL 44 Ultra S Plus	X	X		X				44	0.5		5
SEAL 54 Base			X	X				54	2		16.4
SEAL 54 EL	X			X				54	1		14
SEAL 62 Pro D	X	X		X				61	1.5		20
SEAL 62 Pro S	X	X		X				61	1.5		20
SEAL 62 Ultra Plus	X	X		X				61	0.5		5
SEAL 62 Ultra C Plus	X			X				61	0.5		10
SEAL 62 Ultra S Plus	X	X		X				61	0.5		5
SEAL 62 Base			X	X				61	2		16.4
SEAL Image 80 Pro	X	X		X				80	1.5		20
SEAL Image 600md	X	X		X				61	1		15
Quality Media & Laminating Solutions, 800-552-9427, www.myprintresource.com/10007562											
Quality 64TLX				X				62	1	3	15
Remington Laminations, Inc., 877-317-1716, www.myprintresource.com/10007667 (2011 Information)											
Prisma HA 500H	X	X		X				54	10	3	15
Prisma HA 600H	X	X		X				64	10	3	15
Prisma MC50	X			X				48	10	3	15
Prisma Pro 45C	X			X				44	10	3	15
Prisma Pro 55C	X			X				54	10	3	15

RESOURCE CHART (24+ INCHES)

	Roller Heating			Rewind/Unwind			Tension / Pressure		
	Single	Dual	Max Temp. (°F)	Rewind	Unwind	Output Slitting (Y/N/Optional)	Manual	Pneumatic	Base Price ($USD)
		X	320	X	X	N	X		Call for Pricing
		X	320	X	X	N	X		Call for Pricing
		X	300	X	X	Y	X		Call for Pricing
		X	300	X	X	Y		X	Call for Pricing
		X	320	X	X	N	X		Call for Pricing
		X	320	X	X	N	X		Call for Pricing
				X	X				$10,995
									$18,024
	X		320			N	X		$2,720
		X	250	X	X	N	X		$8,660
	X		250	X	X	N	X		$7,405
	X		104	X	X	N	X		$10,650
				X	X	N	X		$5,980
		X	284	X	X	Optional	X		$22,760
	X		284	X	X	N	X		$18,375
		X	250	X	X	N	X		$10,256
				X	X	N	X		$7,777
	X		250	X	X	N	X		$8,889
	X		104	X	X	N	X		$11,450
		X	284	X	X	Y	X		$31,392
		X	275	X	X	N		X	$30,891
	X		265	X	X	N	X		$7,600
	X		122		X	N	X		$5,600
	X		122		X	N	X		$5,800
					X	N	X		$1,699
					X	N	X		$5,250
					X	N	X		$5,500

2012 LAMINATOR

Model	Type			Type				Size			Max Speed (fpm)
	Cold	Hot	Heat Assist	Roll	Flatbed	Pouch	Liquid	Max Film Width (Inches)	Max Thickness(Inches)	Core Diameter (inches)	
Remington Laminations, Inc., 877-317-1716, www.myprintresource.com/10007667 (2011 Information)											
Prisma Pro 65C	X			X				64	10	3	15
Prisma Pro S 45	X	X		X				44	10	3	15
Prisma Pro S 55	X	X		X				54	10	3	15
Prisma Pro S 65	X	X		X				64	10	3	15
Prisma Pro D 44	X	X		X				44	10	3	15
Prisma Pro D 54	X	X		X				54	10	3	15
Prisma Pro D 64	X	X		X				64	10	3	15
Prisma VT-55C	X			X				54	10	3	15
Prisma VT-65C	X			X				64	10	3	15
Prisma WAK-600	X			X				64	10	3	15
Royal Sovereign, 800-397-1025, www.myprintresource.com/10007790											
RSC-820CLS	X			X				32	0.28	3	8.2
RSC-1050CL	X			X				41	0.28	3	11.5
RSC-1401C	X			X				55	1	3	16.4
RSC-1401H			X	X				55	1	3	16.4
RSC-1400L	X			X				55	0.6	3	16.4
RSC-1650LS	X			X				65	0.6	3	16.4
RSC-1650LSH			X	X				65	0.6	3	16.4
RSH-1050	X	X		X				41	0.6	2.25, 3	6.6
RSH-1151	X	X		X				45	0.6	2.25, 3	9.8
RSH-1651	X	X		X				65	0.6	2.25, 3	13.1
RSL-2701S		X		X				27	0.06	1	7.9
RSL-2702	X	X		X				27	0.18	3, 2.25, 1(Optional)	8.2
RSS-1050N	X	X		X				41	0.5	2.25, 3	19.7
USI, 800-282-9290, www.myprintresource.com/10008502 (2011 Information)											
ARL 2700		X		X				27	0.125	1	9.5
ARL 2700 Pro Heated Roller		X		X				27	0.25	1	9.5
ARL 4000		X		X				40	0.25	1	9.5
ARL 4000 Pro Heated Roller		X		X				40	1	1	9.5

RESOURCE CHART (24+ INCHES)

	Roller Heating			Rewind/Unwind			Tension / Pressure		
	Single	Dual	Max Temp. (°F)	Rewind	Unwind	Output Slitting (Y/N/Optional)	Manual	Pneumatic	Base Price ($USD)
					X	N	X		$5,750
	X		300		X	N	X		$5,995
	X		300		X	N	X		$6,495
	X		300		X	N	X		$6,995
		X	300		X	N	X		$9,495
		X	300		X	N	X		$10,995
		X	300		X	N	X		$12,995
					X	N	X		$3,600
					X	N	X		$3,700
					X	N	X		$2,999
				X	X	N	X		$3,089
				X	X	N	X		$4,287
				X	X	N	X		$6,038
	X		122	X	X	N	X		$6,641
				X	X	N	X		$6,642
				X	X	N	X		$7,467
	X		122	X	X	N	X		$8,277
		X	320	X	X	N	X		$8,070
		X	320	X	X	N	X		$10,472
		X	320	X	X	N	X		$10,844
		X	302		X	N	X		$1,920
		X	302	X	X	N	X		$3,378
		Hot Shoe	320	X	X	Y	X		$9,370
		X	300	X		N	X		$1,199
		X	300	X		N	X		$1,399
		X	300	X		N	X		$1,899
		X	300	X		N	X		$2,999

2012 LAMINATOR

Model	Type			Type				Size			Max Speed (fpm)
	Cold	Hot	Heat Assist	Roll	Flatbed	Pouch	Liquid	Max Film Width (Inches)	Max Thickness(Inches)	Core Diameter (inches)	
USI, 800-282-9290, www.myprintresource.com/10008502 (2011 Information)											
CSL 2700		X		X				27	0.125	1	5
Image 62 Heated Roller	X	X		X				62	1	3	6
Jet Mounter 26-1/2 Cold Laminator	X							26	0.5	3	10
Jet Mounter 44 Cold Laminator	X							44	0.5	3	10
Jet Mounter 54 Cold Laminator	X							54	0.5	3	10
Samson 63 Heated Roller	X	X		X				63	1	3	10
Solo 25 Cold Laminator	X							25	0.5	3	7.5
Solo 38 Cold Laminator	X							38	0.5	3	7.5
Solo 55 Cold Laminator	X							55	0.5	3	7.5
Solo 65 Cold Laminator	X							65	0.5	3	7.5

RESOURCE CHART (24+ INCHES)

	Roller Heating			Rewind/Unwind			Tension / Pressure		
	Single	Dual	Max Temp. (°F)	Rewind	Unwind	Output Slitting (Y/N/Optional)	Manual	Pneumatic	Base Price ($USD)
		X	300	X		N	X		$699
		X	300	X	X	Y	X		$13,999
	X			X		N	X		$945
	X			X		N	X		$3,295
	X			X		N	X		$4,295
		X	300	X	X	Y	X		$18,192
	X			X		N	X		$1,199
	X			X		N	X		$1,569
	X			X		N	X		$1,999
	X			X		N	X		$2,499