

# 2012 UV PRINTER Resource Chart

Model	Printer Type			Print Size			Ink	
	Roll	Flatbed	Hybrid	Max Width (Inches)	Max Length (Inches)	Max Thickness (Inches)	Number of Colors	Colors
<b>Agfa Graphics, 888-274-8626, <a href="http://www.MyPRINTResource.com/10003665">www.MyPRINTResource.com/10003665</a></b>								
:Anapurna M1600			X	63	varies	1.75	5	CMYK, W
:Anapurna M2050			X	80	varies	1.75	7	CMYK, Lc, Lm, W
:Anapurna M2540 FB		X		60	96	1.75	7	CMYK, Lc, Lm, W
:Anapurna M4F			X	63	varies	1.75	4	CMYK
:Anapurna Mw			X	63	varies	1.75	7	CMYK, Lc, Lm
:Jeti 1224 UV HDC (with FTR option)			X	48	96	2	4 plus white	CMYK, W
:Jeti 3020 Titan (with FTR option)			X	124	79.5	2	5 or 6	CMYK, Lc, Lm, O & V, Varnish & W
:M-Press Leopard		X		102	62	2	4	CMYK
:M-Press Tiger		X		102	62	2	4	CMYK
<b>Anderson America Corp., 704-522-1823, <a href="http://www.MyPRINTResource.com/10282420">www.MyPRINTResource.com/10282420</a></b>								
Ajet Hybrid Inkjet Digital Printer			X	65	130	2.55	5 or 7	CMYK, White or CMYK, Lc, Lm, W (varnish option)
Cojet True Flat Bed Inkjet Digital Printer		X		60	120	3.93	5 or 7	CMYK, White or CMYK, Lc, Lm, W (varnish option)
<b>CET Color, 404-505-1800, <a href="http://www.MyPRINTResource.com/10013411">www.MyPRINTResource.com/10013411</a></b>								
Q-Series 1000Q		X		120		4	8+spot	CMYK, Lc, Lm, W, Clear
Q-Series 500Q		X		49	99	4	8+spot	CMYK, Lc, Lm, W, Clear
X-Press 1000		X		49	99	4	8+spot	CMYK, Lc, Lm, W, Clear
X-Press 1000HL			X	126	varies	2.25	8+spot	CMYK, Lc, Lm, W, Clear
X-Press 500		X		49	99	4	8+spot	CMYK, Lc, Lm, W, Clear
X-Press 500H			X	100	varies	2.25	8+spot	CMYK, Lc, Lm, W, Clear
<b>Direct Color Systems, 800-693-6376, <a href="http://www.MyPRINTResource.com/10004923">www.MyPRINTResource.com/10004923</a></b>								
Direct Jet 2448 UV		X		24	48	10	8	CMYK, Lc, Lm, 2 Clear, 2W
<b>Durst Image Technology, 888-480-3588, <a href="http://www.MyPRINTResource.com/10005046">www.MyPRINTResource.com/10005046</a></b>								
Rho 320R HS	X			126	Roll Length	0.07	6	CMYK, Lc, Lm
Rho 500R	X			196	Roll Length	0.07	6	CMYK, Lc, Lm
Rho 750HS		X		80	Unlimited	2.75	8	CMYK, Lc, Lm (Process Color Additions)
Rho 900			X	98	Unlimited	2.75	8	CMYK, Lc, Lm (Process Color Additions)
Rho 1000			X	98	Unlimited	2.75	8	CMYK, Lc, Lm (Process Color Additions)
Rho 1000L			X	98	Unlimited	2.75	8	CMYK, Lc, Lm (Process Color Additions)
Rho P10 250			X	98	Unlimited	2.75	8	CMYK, Lc, Lm (Process Color Additions)
Rho P10 320R	X			126	Roll Length	0.07	6	CMYK, Lc, Lm
<b>EFI, 800-875-7117, <a href="http://www.MyPRINTResource.com/10005156">www.MyPRINTResource.com/10005156</a></b>								
EFI H650			X	64	Will accept 9 roll diameter	1.8 in.	5	CMYK, W
EFI H652			X	64	Will accept 9 roll diameter	1.8 in.	5	CMYK, W
EFI R3225	X			126.5	Unlimited	0.04	4	CMYK

# 2012 UV PRINTER Resource Chart

		Options			Max Resolution		Curing Technology	Base Price
Ink Type	Spot Color	White Ink	Varnish	Width	Length			
UV		X		720	1440		Contact Manufacturer	
UV		X		720	1440		Contact Manufacturer	
UV		X		720	1440		Contact Manufacturer	
UV				720	1440		Contact Manufacturer	
UV	X	X		720	1440		Contact Manufacturer	
UV	N	X		480	1200		Contact Manufacturer	
UV				480	1200		Contact Manufacturer	
UV				1260	720		Contact Manufacturer	
UV				1260	720		Contact Manufacturer	
uv	x	x	x	1440	720		Contact Manufacturer	
uv	x	x	x	1440	720		Contact Manufacturer	
UV	X	X	X	1200	900	Dual Mercury UV Lamps	Contact Manufacturer	
UV	X	X	X	1200	900	Dual Mercury UV Lamps	\$122,666	
UV	X	X	X	1200	800	Dual Mercury UV Lamps	Contact Manufacturer	
UV	X	X	X	1200	800	Dual Mercury UV Lamps	Contact Manufacturer	
UV	X	X	X	1200	800	Dual Mercury UV Lamps	\$85,332	
UV	X	X	X	1200	800	Dual Mercury UV Lamps	\$85,332	
LED UV		X	X	1440	2880		\$44,995	
UV	X	X		600	600	UV	Contact Manufacturer	
UV	X	X		600	600	UV	Contact Manufacturer	
UV	X	X		600	600	UV	Contact Manufacturer	
UV	X	X		600	600	UV	Contact Manufacturer	
UV	X	X		600	600	UV	Contact Manufacturer	
UV	X	X		600	600	UV	Contact Manufacturer	
UV	X	X		1000	1000	UV	Contact Manufacturer	
UV	X	X		1000	1000	UV	Contact Manufacturer	
UV		X		1200	600	Mercury Arc	Contact Manufacturer	
UV		X		1200	600	Mercury Arc	Contact Manufacturer	
UV				1200	600	Mercury Arc	Contact Manufacturer	

# 2012 UV PRINTER Resource Chart

Model	Printer Type			Print Size			Ink	
	Roll	Flatbed	Hybrid	Max Width (Inches)	Max Length (Inches)	Max Thickness (Inches)	Number of Colors	Colors
EFI T1000		X		98	52	2	5	CMYK, W
VUTEk GS2000			X	80.5	Unlimited	2	10	CMYK, Lc, Lm, Ly, Lk, 2W
VUTEk GS3250			X	126.5	Unlimited	2	10	CMYK, Lc, Lm, Ly, Lk, 2W
VUTEk GS3250LX			X	126.5	Unlimited	2	10	CMYK, Lc, Lm, Ly, Lk, 2W
VUTEk GS3250r	X			126.5	Unlimited	.125	6	CMYK, Lc, Lm
VUTEk GS5000r	X			196.8	Unlimited	.125	8	CMYK, Lc, Lm, Ly, Lk,
VUTEk HS100 Pro			X	126.5	Unlimited	2	8	CMYK, Lc, Lm, 2W
VUTEk QS2 Pro			X	80	Unlimited	2	8	CMYK, Lc, Lm, 2W
VUTEk QS3 Pro				126.5	Unlimited	2	8	CMYK, Lc, Lm, 2W
VUTEk TX3250r		X		126.5	Unlimited	.125	8	CMYK, Lc, Lm, Ly, Lk,
<b>Fujifilm North America Corp., 800-755-3854, <a href="http://www.MyPRINTResource.com/10013800">www.MyPRINTResource.com/10013800</a></b>								
Acuity Advance HS UV flatbed printer		X	Roll Media Option	49.6	98.8	1.89	5	CMYK, W
Acuity Advance HS X2 UV flatbed printer		X	Roll Media Option	98.4	120	1.89	5	CMYK, W
Acuity Advance LT UV flatbed printer		X	Roll Media Option	49.6	98.8	1.89	4	CMYK
Acuity Advance UV flatbed printer		X	Roll Media Option	49.6	98.8	1.89	5	CMYK, W
Acuity Advance X2 UV flatbed printer		X	Roll Media Option	98.4	120	1.89	5	CMYK, W
Acuity LED 1600 UV LED printer		X	Roll Media Option	63	Unlimited	0.5	8	CMYK, Lc, Lm, W, Clear
Inca Onset S20i UV flatbed printer		X		63	123	2	6	CMYK, Lc, Lm, W
Inca Onset S40i UV flatbed printer		X		63	123	2	6	CMYK, Lc, Lm
UVISTAR 5.0 M UV printer			X	197	Unlimited	1	4	CMYK
UVISTAR Pro 8 3.5 M UV printer			X	138	Unlimited	1	7	CMYK, Lc, Lm, Lk
UVISTAR Pro 8 5.0 M UV printer			X	197	Unlimited	1	7	CMYK, Lc, Lm, Lk
<b>Gandy Digital Inc., 647-367-2737, <a href="http://www.MyPRINTResource.com/10282415">www.MyPRINTResource.com/10282415</a> (2010 information)</b>								
Pred8tor			X	96	Unlimited	2	5	CMYK, W or Clear
<b>GCC, 888-284-5211, <a href="http://www.MyPRINTResource.com/10005494">www.MyPRINTResource.com/10005494</a> (2010 information)</b>								
GCC StellarJET 250UV			X	100	Unlimited	2	7	CMYK, Lc, Lm, 2W
GCC StellarJET K100UV			X	100	Unlimited	2	8	CMYK, Lc, Lm, W, Varnish
GCC StellarJET K72UV			X	70	Unlimited	2	8	CMYK, Lc, Lm, W, Varnish
StellarJET K72LSUV			X	70	Unlimited	2	8	CMYK, Lc, Lm, W, Varnish
StellarJET K72LSUV II			X	70	Unlimited	2	8	CMYK, Lc, Lm, W, Varnish
<b>Hewlett-Packard, 866-229-7313, <a href="http://www.MyPRINTResource.com/10005824">www.MyPRINTResource.com/10005824</a></b>								
HP Scitex FB500 Printer		X		64	120	2.5	6	CMYK, Lc, Lm, W optional

# 2012 UV PRINTER Resource Chart

		Options			Max Resolution		Curing Technology	Base Price
Ink Type	Spot Color	White Ink	Varnish	Width	Length			
UV		X		1200	900	Mercury Arc	Contact Manufacturer	
UV		X		1000		Mercury Arc	Contact Manufacturer	
UV		X		1000		Mercury Arc	Contact Manufacturer	
UV		X		1000		LED	Contact Manufacturer	
UV				1000		Mercury Arc	Contact Manufacturer	
UV		optional		1000		Mercury Arc	Contact Manufacturer	
UV		x		1000		Pin & Cure	Contact Manufacturer	
UV		x		1000		Mercury Arc	Contact Manufacturer	
UV		x		1000		Mercury Arc	Contact Manufacturer	
Solvent dye sub				1080		Mercury Arc	Contact Manufacturer	
UV-Curable		X		1060	900	UV	Contact Manufacturer	
UV-Curable		X		1060	900	UV	Contact Manufacturer	
UV-Curable				1060	900	UV	Contact Manufacturer	
UV-Curable		X		1060	900	UV	Contact Manufacturer	
UV-Curable		X		1060	900	UV	Contact Manufacturer	
UV-Curable		X	X	1200	1200	LED	Contact Manufacturer	
UV-Curable		X		600	600	UV	Contact Manufacturer	
UV-Curable				600	600	UV	Contact Manufacturer	
UV-Curable				600	600	UV	Contact Manufacturer	
UV-Curable				1200	1200	UV	Contact Manufacturer	
UV-Curable				1200	1200	UV	Contact Manufacturer	
UV		X	X	900	900		Contact Manufacturer	
UV	X	X		720	720		Contact Manufacturer	
UV	X	X	X	1440	1440		Contact Manufacturer	
UV	X	X	X	1440	1440		Contact Manufacturer	
UV	X	X	X	1440	1440		Contact Manufacturer	
UV	X	X	X	1440	1440		Contact Manufacturer	
UV		X		1200	600		Contact Manufacturer	

# 2012 UV PRINTER Resource Chart

Model	Printer Type			Print Size			Ink	
	Roll	Flatbed	Hybrid	Max Width (Inches)	Max Length (Inches)	Max Thickness (Inches)	Number of Colors	Colors
HP Scitex FB700 Printer		X		98.4	120	2.5	6	CMYK, Lc, Lm, W optional
HP Scitex FB7600 Industrial Press		X		65	126	1	6	CMYK, Lc, Lm, W optional
HP Scitex TJ8600 Industrial Press	X			65	145	0.02	6	CMYK, Lc, Lm
HP Scitex XP2500 Industrial Printer	X			126			4	CMYK
HP Scitex XP5100 Industrial Printer	X			199.2			4,8	CMYK Lc,Lm,Ly,Lk
HP Scitex XP5500 Industrial Printer	X			199.2			4	CMYK
<b>Inca Digital Printers, Distribution by Fujifilm North America, 913-342-4060, <a href="http://www.MyPRINTResource.com/10006000">www.MyPRINTResource.com/10006000</a></b>								
Inca Onset S20i		X		63	123.6	2	up to 6	CMYK, Lc, Lm, W
Inca Onset S40i		X		63	123.6	2	up to 6	CMYK, Lc, Lm
Inca Spyder 320		X		63	126	1.3	up to 6 (+ 2 white)	CYMK, Lc, Lm, O, V, W
Inca Spyder V		X		63	126	1.3	up to 6	CYMK, Lc, Lm, O, V, W
<b>Infiniti Digital Equipment, 305-477-6333, <a href="http://www.MyPRINTResource.com/10006017">www.MyPRINTResource.com/10006017</a> (2010 information)</b>								
FINA UV 160 plus			X	62.75	Unlimited	1	5 or 6	CMYK, Lc, LM or CMYK, W
<b>INX International Co., 800-631-7956, <a href="http://www.MyPRINTResource.com/10279924">www.MyPRINTResource.com/10279924</a></b>								
MD 660 UV Flatbed		X		102	60 x 48	2	5	CMYK
MD 1000-6 UV Flatbed		X		169	98 x 52	2	6	CMYK
<b>Matan Digital Printers, 972 3 9002720, <a href="http://WWW.MYPRINTRESOURCE.COM/10006584">WWW.MYPRINTRESOURCE.COM/10006584</a></b>								
Barak3			X	138	Unlimited	1	4	CMYK
Barak5			X	197	Unlimited	1	4	CMYK
Barak 8Q 3m			X	138	Unlimited+Automatic loader	1	8	CMYLLMLCKY
Barak 8Q 5m			X	197	Unlimited+Automatic loader	1	8	CMYLLMLCKY
Barak iQ			X	138	Unlimited	1	4	CMYK
Barak iQ			X	197	Unlimited	1	4	CMYK
<b>Mimaki USA, 888-530-4021, <a href="http://www.MyPRINTResource.com/10006709">www.MyPRINTResource.com/10006709</a></b>								
JF-1531		X		63	122	2	8	CMYK, Lc, Lm, W, Clear
JF-1610		X		63	40	2	8	CMYK, Lc, Lm, W, Clear
JFX-1615plus		X		63	59	2	6	CMYK, W, Clear
JFX-1631plus		X		63	122	2	6	CMYK, W, Clear
JFX500-2131		X		82.6	122	2	7	CMYK, Lc, Lm, W
UJF-3042FX		X		11.8	16.5	2	6	CMYK, W, Clear
UJF-3042HG		X		11.8	16.5	5.9	8	CMYK, Lc, Lm, W, Clear
UJF-706		X		27.5	23.5	6	8	CMYK, Lc, Lm, W, Clear
UJV-160			X	64	varies	0.4	4	CMYK
<b>Océ North America, 800-714-4427, <a href="http://www.MyPRINTResource.com/10006967">www.MyPRINTResource.com/10006967</a></b>								
Océ Arizona 300 GT		X	Roll Media Option	49.2	98.4	1.89	4	CMYK
Océ Arizona 360 GT		X	Roll Media Option	49.2	98.4	1.89	4	CMYK

# 2012 UV PRINTER Resource Chart

		Options			Max Resolution		Curing Technology	Base Price
Ink Type	Spot Color	White Ink	Varnish	Width	Length			
UV			X		1200	600		Contact Manufacturer
UV			X		600	600		Contact Manufacturer
UV					600	600		Contact Manufacturer
UV					360	360		Contact Manufacturer
UV					720	720		Contact Manufacturer
UV					360	360		Contact Manufacturer
UV			X		1000	1000	2 x UV Curing Lamps	Contact Manufacturer
UV					1000	1000	2 x UV Curing Lamps	Contact Manufacturer
UV			X		1000	1000	2 x UV Curing Lamps	Contact Manufacturer
UV			X		1000	1000	2 x UV Curing Lamps	Contact Manufacturer
UV					1440	1440		Contact Manufacturer
UV	No	as 5th color	as 5th color		1200	1200	mercury vapor (UV)	Contact Manufacturer
UV	No	as 5th & 6th color	as 5th & 6th color		900	900	mercury vapor (UV)	Contact Manufacturer
UV					600	600		Contact Manufacturer
UV					600	600		Contact Manufacturer
UV					600	600		Contact Manufacturer
UV					600	600		Contact Manufacturer
UV					600	600		Contact Manufacturer
UV					600	600		Contact Manufacturer
UV			X	X	1200	1200	UV	\$103,995
UV			X	X	1200	1200	UV	\$90,995
UV LED			X	X	1200	1200	UV LED	\$109,995
UV LED			X	X	1200	1200	UV LED	\$139,995
UV LED			X		1200	1200	UV LED	Contact Manufacturer
UV LED			X	X	1440	1200	UV LED	\$36,995
UV LED			X	X	1440	1200	UV LED	\$43,995
UV			X	X	1200	1200	UV	\$129,995
UV LED					1200	1200	UV LED	\$59,995
UV					variable dot, 1440 apparent		Mercury-vapor w/integrated cooling systems	Contact Manufacturer
UV			X		variable dot, 1440 apparent		Mercury-vapor w/integrated cooling systems	Contact Manufacturer

# 2012 UV PRINTER Resource Chart

Model	Printer Type			Print Size			Ink	
	Roll	Flatbed	Hybrid	Max Width (Inches)	Max Length (Inches)	Max Thickness (Inches)	Number of Colors	Colors
Océ Arizona 360 XT		X	Roll Media Option	98.4	120	1.89	4	CMYK
Océ Arizona 550 GT		X	Roll Media Option	49.2	98.4	2	4	CMYK
Océ Arizona 550 XT		X	Roll Media Option	98.4	120	2	4	CMYK
<b>Paradigm Imaging Group, 888-221-7226, <a href="http://www.MyPRINTResource.com/10007112">www.MyPRINTResource.com/10007112</a></b>								
SID UV 165P			X	64		2	4 or 6	CMYK or CMYKcLm
SID UV 200S			X	81		1.18	4 or 6	CMYK or CMYKcLm
<b>Polytype America, 201-995-1000, <a href="http://www.MyPRINTResource.com/10008671">www.MyPRINTResource.com/10008671</a></b>								
Polytype Abacus 25 (30pl & 80pl)			X	98	Flatbed mode 48, Hybrid Unlimited	3.7	7	CMYK, Lc, Lm, W
Polytype Abacus 35 (30pl & 80pl)			X	137	Flatbed mode 48, Hybrid Unlimited	3.7	7	CMYK, Lc, Lm, W
Polytype Quantum 25 (10pl)			X	98	Flatbed mode 48, Hybrid Unlimited	3.7	7	CMYK, Lc, Lm, W
Polytype Quantum 35 (10pl)			X	137	Flatbed mode 48, Hybrid Unlimited	3.7	7	CMYK, Lc, Lm, W
Polytype Virtu RR50 (30pl & 80pl)	X			197	Unlimited	0.2	7	CMYK, Lc, Lm, W
swissQprint Impala			X	98	Flatbed mode 59, hybrid 157	1.97	9	CMYK, Lc, Lm, Lk, W, Primer Varnish
swissQprint Nyala			X	126	Flatbed mode 59, hybrid 156	1.97	9	CMYK, Lc, Lm, Lk, W, Primer Varnish
swissQprint Oryx			X	98	Flatbed mode 59, hybrid 157	1.97	8	CMYK, Lc, Lm, Lk, W, Primer Varnish
<b>Roland DGA Corp., 800-542-2307, <a href="http://www.MyPRINTResource.com/10007761">www.MyPRINTResource.com/10007761</a></b>								
VersaUV LEC-330 Printer/Cutter	x			30		0.039	6	CMYK + White + Clear
VersaUV LEC-540 Printer/Cutter	x			54		0.039	6	CMYK + White + Clear
VersaUV LEF-12 Printer		x		12	11	3.94	6	CMYK + White + Clear
VersaUV LEJ-640 Printer			x	64		0.5	6	CMYK + White + Clear
<b>Screen (USA), 847-870-7400, <a href="http://www.MyPRINTResource.com/10007873">www.MyPRINTResource.com/10007873</a></b>								
Truepress Jet1600UV-F2		X		64.7	125.7	1.96	6	CMYK, W, Clear
Truepress Jet2500UV			X	98.4	Flatbed: 51.1; Roll: 164	1.9	up to 7	CMYK, Lc, Lm, W
Truepress Jet W1632UV		X		62.9	125.9	1.96	6	CMYK, Lc, Lm
<b>Teckwin USA, 877-862-8040, <a href="http://www.MyPRINTResource.com/10008248">www.MyPRINTResource.com/10008248</a> (2010 information)</b>								
Teckwin TS-300		X		48	96	2	6 + Wh	CMYK, Lc, Lm, W
Teckwin TS-600		X		79	120	6	6 + Wh	CMYK, Lc, Lm, W

# 2012 UV PRINTER Resource Chart

		Options			Max Resolution		Curing Technology	Base Price
Ink Type	Spot Color	White Ink	Varnish	Width	Length			
UV		X		variable dot, 1440 apparent		Mercury-vapor w/integrated cooling systems	Contact Manufacturer	
UV		X		variable dot, 1440 apparent		Mercury-vapor w/integrated cooling systems	Contact Manufacturer	
UV		X		variable dot, 1440 apparent		Mercury-vapor w/integrated cooling systems	Contact Manufacturer	
UV				720	1440	UV Lamps	\$87,692	
UV				600	800	UV Lamps	107,692	
UV		X	X	1200	1200	Water Cooled UV	Contact Manufacturer	
UV		X	X	1200	1200	Water Cooled UV	Contact Manufacturer	
UV		X	X	1200	1200	Water Cooled UV	Contact Manufacturer	
UV		X	X	1200	1200	Water Cooled UV	Contact Manufacturer	
UV		X		926	1200	Water Cooled UV	Contact Manufacturer	
UV	X	X	X	900	720	UV	Contact Manufacturer	
UV	X	X	X	900	720	UV	Contact Manufacturer	
UV	X	X	X	900	720	UV	Contact Manufacturer	
UV		X	X	1440	1440	UV-LED	\$59,995	
UV		X	X	1440	1440	UV-LED	\$68,995	
UV		X	X	1440	720	UV-LED	\$29,995	
UV		X	X	1440	1440	UV-LED	\$68,995	
UV				1200	1200		Contact Manufacturer	
UV				1500	1500		Contact Manufacturer	
UV				900	900		Contact Manufacturer	
UV	X	X	X	48	96 (72rtr)		Contact Manufacturer	
UV	X	X	X	79 (54rtr)	120		Contact Manufacturer	