WIDE-FORMAT IMAGING'S

2013 UV PRINTER CHART

Model	Printer Type			Print Size			Ink			Options			Ma• Resolution		Curing Technology (UV Cure / UV LED Cure)	Base Price
	Roll	Flatbed	Hybrid	Max Width (Inches)	Max Length (Inches)	Max Thickness (Inches)	Number of Colors	Colors	Ink Type	Spot Color	White Ink	Varnish	Width	Length		
Agfa Graphics, 800-526-5441 x8572452, MyPRINTResource.com/10003665																
Anapurna M1600			•	63	varies	1.75	5	CMYK, W	UV		•		720	1440	UV Cure	Contact Mfr
Anapurna M2050			•	80	varies	1.75	7	CMYK, Lc, Lm, WW	UV		•		720	1440	UV Cure	Contact Mfr
Anapurna M2500			•	98	varies	1.75	7	CMYK, Lc, Lm, W	UV	•	•		720	1440	UV Cure	Contact Mfr
Anapurna M2540 FB		•		100	60	1.75	7	CMYK, Lc, Lm, W	UV	•	•		720	1440	UV Cure	Contact Mfr
Anapurna M3200 RTR	•			126	varies		6	CMYK, Lc, Lm	UV				720	1440	UV Cure	Contact Mfr
Anapurna M4f			•	62	varies	1.75	4	CMYK	UV				720	1440	UV Cure	Contact Mfr
Anapurna Mw			•	62	varies	1.75	7	CMYK, Lc, Lm, W	UV	•	•		720	1440	UV Cure	Contact Mfr
Jeti 1224 UV HDC FTR			•	98	varies	2	4 +W	CMYK, W	UV		•		600	1200	UV Cure	Contact Mfr
Jeti 3020 Titan (with FTR option)			•	122	varies	2	4, 5, 6 +W	CMYK, Lc, Lm, & WW	UV		•		600	1200	UV Cure	Contact Mfr
Jeti TitanX			•	122	varies	2	4 or 6 +W	CMYK to high fidelity CMYKLcLm, WW	UV		•		600	1200	UV Cure	Contact Mfr
Canon Solutions America, 800-714-4427, MyPRINTResource.com/10006967																
Océ Arizona 318 GL		•		49.2	98.4	1.89	4	CMYK	UV		•		variable dot, 1440 apparent		mercury-vapor w/integrated cooling systems	under $85,000
Océ Arizona 440 GT		•		49.2	98.4	2	4	CMYK	UV		upgradeable to add W or V		variable dot, 1440 apparent		mercury-vapor w/integrated cooling systems	Contact Mfr
Océ Arizona 440 XT		•		98.4	120	2	4	CMYK	UV		upgradeable to add W or V		variable dot, 1440 apparent		mercury-vapor w/integrated cooling systems	Contact Mfr
Océ Arizona 460 GT		•		49.2	98.4	2	6	CMYK+WV or CMYK+WW	UV				variable dot, 1440 apparent		mercury-vapor w/integrated cooling systems	Contact Mfr

Download a PDF of this chart at MyPRINTResource.com/11195267

WIDE-FORMAT IMAGING'S

2013 UV PRINTER CHART

Model	Printer Type			Print Size			Ink			Options			Max Resolution		Curing Technology (UV Cure / UV LED Cure)	Base Price
	Roll	Flatbed	Hybrid	Max Width (Inches)	Max Length (Inches)	Max Thickness (Inches)	Number of Colors	Colors	Ink Type	Spot Color	White Ink	Varnish	Width	Length		
Océ Arizona 460 XT		•		98.4	120	2	6	CMYK+WV or CMYK+WW	UV				variable dot, 1440 apparent		mercury-vapor w/integrated cooling systems	Contact Mfr
Océ Arizona 480 GT		•		49.2	98.4	2	8	CMYK+WVCM or CMYK+WWCM	UV				variable dot, 1440 apparent		mercury-vapor w/integrated cooling systems	Contact Mfr
Océ Arizona 480 XT		•		98.4	120	2	8	CMYK+WVCM or CMYK+WWCM	UV				variable dot, 1440 apparent		mercury-vapor w/integrated cooling systems	Contact Mfr
Océ Arizona 640 GT		•		49.2	98.4	2	4	CMYK	UV		upgradeable to add W or V		variable dot, 1440 apparent		mercury-vapor w/integrated cooling systems	Contact Mfr
Océ Arizona 640 XT		•		98.4	120	2	4	CMYK	UV		upgradeable to add W or V		variable dot, 1440 apparent		mercury-vapor w/integrated cooling systems	Contact Mfr
Océ Arizona 660 GT		•		49.2	98.4	2	6	CMYK+WV or CMYK+WW or CMYK+CM	UV				variable dot, 1440 apparent		mercury-vapor w/integrated cooling systems	Contact Mfr
Océ Arizona 660 XT		•		98.4	120	2	6	CMYK+WV or CMYK+WW or CMYK+CM	UV				variable dot, 1440 apparent		mercury-vapor w/integrated cooling systems	Contact Mfr
CET COLOR, 404-505-1800, MyPRINTResource.com/10013411																
K-Series 1000HK			•	126	unlimited	2.25	5	CMYK+W	UV		•		1200	1800	UV LED	$250,000
K-Series 1000K		•		60	120	4	5	CMYK+W	UV		•		1200	1800	UV LED	$250,000
Q-Series 500Q		•		49	99	4	5	CMYK+W	UV		•		1200	1200	Dual Mercury UV Lamps	$111,999

WIDE-FORMAT IMAGING'S

2013 UV PRINTER CHART

Model	Printer Type			Print Size			Ink			Options			Max Resolution		Curing Technology (UV Cure / UV LED Cure)	Base Price
	Roll	Flatbed	Hybrid	Max Width (Inches)	Max Length (Inches)	Max Thickness (Inches)	Number of Colors	Colors	Ink Type	Spot Color	White Ink	Varnish	Width	Length		
Q-Series 500Q		•		60	120	4	5	CMYK+W	UV		•		1200	1200	Dual Mercury UV Lamps	$126,999
Q-Series 500QE		•		49	99	4	6	CMYK+W	UV		•		1200	1200	Dual Mercury UV Lamps	$79,999
X-Series 1000		•		49	99	4	8	CMYKLcLm +W+Clear	UV	•	•	•	800	1200	Dual Mercury UV Lamps	$145,000+
X-Series 1000		•		60	120	4	8	CMYKLcLm +W+Clear	UV	•	•	•	800	1200	Dual Mercury UV Lamps	$160,000+
X-Series 1000HL			•	126	unlimited	2.5	8	CMYKLcLm +W+Clear	UV	•	•	•	800	1200	Dual Mercury UV Lamps	$165,000+
X-Series 500		•		49	99	4	8	CMYKLcLm +W+Clear	UV	•	•	•	800	1200	Dual Mercury UV Lamps	$85,332+
X-Series 500		•		60	120	4	8	CMYKLcLm +W+Clear	UV	•	•	•	800	1200	Dual Mercury UV Lamps	$126,999+
X-Series 500H			•	100	unlimited	2.5	8	CMYKLcLm +W+Clear	UV	•	•	•	800	1200	Dual Mercury UV Lamps	$85,332+
Durst Image Technology, 888-480-3588, MyPRINTResource.com/10005046																
Rho 1012			•	98	Unlimited	2.75	8	CMYK, Lc, Lm (Process Color Additions)	UV	•			1000	1000	UV Cure	
Rho 1030			•	98	Unlimited	2.75	8	CMYK, Lc, Lm (Process Color Additions)	UV	•			600	600	UV Cure	Contact Mfr
Rho 320R HS	•			126	Roll Length	0.07	6	CMYK, Lc, Lm	UV	•	•		600	600	UV Cure	Contact Mfr
Rho 500R	•			196	Roll Length	0.07	6	CMYK, Lc, Lm	UV	•	•		600	600	UV Cure	Contact Mfr
Rho 512R	•			196	Roll Length	0.07	8	CMYK, Lc, Lm (Process Color Additions)	UV	•	•		1000	1000	UV Cure	Contact Mfr
Rho P10 250			•	98	Unlimited	2.75	8	CMYK, Lc, Lm (Process Color Additions)	UV	•	•		1000	1000	UV Cure	Contact Mfr
Rho P10 320R	•			126	Roll Length	0.07	8	CMYK, Lc, Lm (Process Color Additions)	UV	•	•		1000	1000	UV Cure	Contact Mfr

WIDE-FORMAT IMAGING'S

2013 UV PRINTER CHART

Model	Printer Type			Print Size			Ink			Options			Max Resolution		Curing Technology (UV Cure / UV LED Cure)	Base Price
	Roll	Flatbed	Hybrid	Max Width (Inches)	Max Length (Inches)	Max Thickness (Inches)	Number of Colors	Colors	Ink Type	Spot Color	White Ink	Varnish	Width	Length		
EFI, 800-875-7117, MyPRINTResource.com/10005156																
EFI H652			•	65	Will accept 9 roll diameter	1.8	5	CMYK, W	UV		•		1200	600	UV Cure	Contact Mfr
EFI R3225	•			126	Unlimited (10 inch max diameter roll)	0.04	4	CMYK	UV				1200	600	UV Cure	Contact Mfr
EFI T1000		•		52	98	2	5	CMYK, W	UV		•		1200	900	UV Cure	Contact Mfr
EFI VUTEk GS2000			•	80.5	Unlimited	2	10	CMYK, Lc, Lm, Ly, Lk, 2W	UV		•		1000		UV Cure	Contact Mfr
EFI VUTEk GS2000LX			•	80.5	Unlimited	2	10	CMYK, Lc, Lm, Ly, Lk, 2W	UV		•		1000		UV LED Cure	Contact Mfr
EFI VUTEk GS3250			•	126.5	Unlimited	2	10	CMYK, Lc, Lm, Ly, Lk, 2W	UV		•		1000		UV Cure	Contact Mfr
EFI VUTEk GS3250LX			•	126.5	Unlimited	2	10	CMYK, Lc, Lm, Ly, Lk, 2W	UV		•		1000		UV LED Cure	Contact Mfr
EFI VUTEk GS3250r	•			126.5	Unlimited	0.125	6	CMYK, lc, Lm	UV				1000		UV Cure	Contact Mfr
EFI VUTEk GS5000r	•			196.8	Unlimited	0.125	8	CMYK, Lc, Lm, Ly, Lk,	UV		optional		1000		UV Cure	Contact Mfr
EFI VUTEk HS100 Pro			•	126.5	Unlimited	2	8	CMYK, Lc, Lm, 2W	UV		•		1000		Pin & Cure	Contact Mfr
EFI VUTEk QS2			•	80	Unlimited	2	7	CMYK, Lc, Lm, 1W	UV		•		1000		UV Cure	Contact Mfr
EFI VUTEk QS3			•	126	Unlimited	2	7	CMYK, Lc, Lm, 1W	UV		•		1000		UV Cure	Contact Mfr
VUTEk QS2 Pro			•	80	Unlimited	2	8	CMYK, Lc, Lm, 2W	UV		•		1000		UV Cure	Contact Mfr
VUTEk QS3 Pro			•	126	Unlimited	2	8	CMYK, Lc, Lm, 2W	UV		•		1000		UV Cure	Contact Mfr
VUTEk TX3250r	•			126.5	Unlimited	0.125	8	CMYK, Lc, Lm, Ly, Lk,	Solvent dye sub				1080		Mercury	Contact Mfr
Fujifilm North America Corp., 800-755-3854, MyPRINTResource.com/10013800																
Acuity Advance Select HS UV flatbed printer		•	•	49.6	98.8	1.89	5	CMYK, W, V	UV-Curable		•		1060	900	UV	Contact Fujifilm
Acuity Advance Select HS X2 UV flatbed printer		•	•	98.4	120	1.89	5	CMYK, W, V	UV-Curable		•		1060	900	UV	Contact Fujifilm
Acuity Advance LT UV flatbed printer		•	•	49.6	98.8	1.89	4	CMYK	UV-Curable				1060	900	UV	Contact Fujifilm
Acuity Advance Select UV flatbed printer		•	•	49.6	98.8	1.89	5	CMYK, W, C, M, V	UV-Curable		•		1060	900	UV	Contact Fujifilm
Acuity Advance Select U2 UV flatbed printer		•	•	98.4	120	1.89	5	CMYK, W, C, M, V	UV-Curable		•		1060	900	UV	Contact Fujifilm

WIDE-FORMAT IMAGING'S

2013 UV PRINTER CHART

Model	Printer Type			Print Size			Ink			Options			Max Resolution		Curing Technology (UV Cure / UV LED Cure)	Base Price
	Roll	Flatbed	Hybrid	Max Width (Inches)	Max Length (Inches)	Max Thickness (Inches)	Number of Colors	Colors	Ink Type	Spot Color	White Ink	Varnish	Width	Length		
Acuity LED 1600 UV LED printer			•	63	Unlimited	0.5	8	CMYK, Lc, Lm, W, Clear	UV-Curable		•	•	1200	1200	LED	Contact Fujifilm
Inca Onset S20i UV flatbed printer		•		63	123	2	6	CMYK, Lc, Lm, W	UV-Curable		•		600	600	UV	Contact Fujifilm
Inca Onset S40i UV flatbed printer		•		63	123	2	6	CMYK, Lc, Lm	UV-Curable				600	600	UV	Contact Fujifilm
UVISTAR 5.0 M UV printer			•	197	Unlimited	1	4	CMYK	UV-Curable				600	600	UV	Contact Fujifilm
UVISTAR Pro 8 3.5 M UV printer			•	138	Unlimited	1	7	CMYK, Lc, Lm, Lk	UV-Curable				1200	1200	UV	Contact Fujifilm
UVISTAR Pro 8 5.0 M UV printer			•	197	Unlimited	1	7	CMYK, Lc, Lm, Lk	UV-Curable				1200	1200	UV	Contact Fujifilm
Gandy Digital Inc., 647-367-2737, MyPRINTResource.com/10282415 (2010 information)																
Domin8tor		•		120	6 feet 6 inches	2	5 and 8 color, cmyk plus light magenta and Light cyan and 2 whites									
Pred8tor			•	96	Unlimited	2	5	CMYK, W or Clear	UV		•	•	900	720	Yes both	Contact Mfr
GCC, 888-284-5211, MyPRINTResource.com/10005494 (2010 information)																
GCC StellarJET 250UV			•	100	Unlimited	2	7	CMYK, Lc, Lm, 2W	UV	•	•		720	720		call
GCC StellarJET K100UV			•	100	Unlimited	2	8	CMYK, Lc, Lm, W, Varnish	UV	•	•	•	1440	1440		call
GCC StellarJET K72UV			•	70	Unlimited	2	8	CMYK, Lc, Lm, W, Varnish	UV	•	•	•	1440	1440		call
StellarJET K72LSUV			•	70	Unlimited	2	8	CMYK, Lc, Lm, W, Varnish	UV	•	•	•	1440	1440		call
StellarJET K72LSUV II			•	70	Unlimited	2	8	CMYK, Lc, Lm, W, Varnish	UV	•	•	•	1440	1440		call
Hewlett-Packard, 866-229-7313, MyPRINTResource.com/10005824																
HP Scitex FB500 Printer		•		64	120	2.5	6	CMYK, Lc, Lm, W optional	UV		•		1200	600	UV Curable	Contact Mfr
HP Scitex FB700 Printer		•		98.4	120	2.5	6	CMYK, Lc, Lm, W optional	UV		•		1200	600	UV Curable	Contact Mfr
HP Scitex FB7600 Industrial Press		•		65	126	1	6	CMYK, Lc, Lm, W optional	UV		•	•	600	600	UV Curable	Contact Mfr
HP Scitex FB10000 Industrial Press		•		63	126	1	6	CMYK, Lc, Lm	UV				Contact Mfr	Contact Mfr	UV Curable	Contact Mfr
HP Scitex TJ8600 Industrial Press	•			65	145	0.02	6	CMYK, Lc, Lm	UV				600	600	UV Curable	Contact Mfr
HP Scitex XP2500 Industrial Printer	•			126			4	CMYK	UV				360	360	UV Curable	Contact Mfr

WIDE-FORMAT IMAGING'S

2013 UV PRINTER CHART

Model	Printer Type			Print Size			Ink			Options			Max Resolution		Curing Technology (UV Cure / UV LED Cure)	Base Price
	Roll	Flatbed	Hybrid	Max Width (Inches)	Max Length (Inches)	Max Thickness (Inches)	Number of Colors	Colors	Ink Type	Spot Color	White Ink	Varnish	Width	Length		
HP Scitex XP5500 Industrial Printer	•			199.2			4	CMYK	UV				360	360	UV Curable	Contact Mfr
Inca Digital Printers, Distribution by Fujifilm North America, 913-342-4060, MyPRINTResource.com/10006000																
Inca Onset		•		63	126	0.75	4	CMYK	UV				1000	1000	4 • UV Curing Lamps	Contact Fujifilm
Inca Onset Q40i		•		63	123.6	2	up to 6	CMYK, Lc, Lm, W	UV		•		1200	1200	2 • UV Curing Lamps	Contact Fujifilm
Inca Onset S20i		•		63	123.6	2	up to 6	CMYK, Lc, Lm, W	UV		•		1000	1000	2 • UV Curing Lamps	Contact Fujifilm
Inca Onset S40i		•		63	123.6	2	up to 6	CMYK, Lc, Lm, W	UV		•		1000	1000	2 • UV Curing Lamps	Contact Fujifilm
INX International Co., 800-631-7956, MyPRINTResource.com/10279924																
MD 1000 UV Flatbed		•		169.71	98 • 52	2	6	CMYK + White or Clear	UV	No	as 5th & 6th color	as 5th & 6th color	1200	900	mercury vapor (UV)	Contact Mfr
Matan Digital Printers, 972 3 9002720, MyPRINTResource.com/10006584																
Barak 8Q 3m			•	138	Unlimited+ Automatic loader	1	8	CMYLLMLCKY	UV				600	600	UV Cure	Contact Mfr
Barak 8Q 5m			•	197	Unlimited+ Automatic loader	1	8	CMYLLMLCKY	UV				600	600	UV Cure	Contact Mfr
Barak 8QW 3m			•	138	Unlimited+ Automatic loader	1	8	CMYLLMLCKY + white			yes		600	600	UV Cure	Contact Mfr
Barak 8QW 5m			•	197	Unlimited+ Automatic loader	1	8	CMYLLMLCKY + white			yes		600	600	UV Cure	Contact Mfr
Barak HS 3m			•	138	Unlimited	1	4	CMYK	UV				600	600	UV Cure	Contact Mfr
Barak HS 5m			•	197	Unlimited	1	4	CMYK	UV				600	600	UV Cure	Contact Mfr
Barak iQ 3m			•	138	Unlimited	1	4	CMYK	UV				600	600	UV Cure	Contact Mfr
Barak iQ 5m			•	197	Unlimited	1	4	CMYK	UV				600	600	UV Cure	Contact Mfr
Matan 4Q 3m			•	138	Unlimited	1	4	CMYK	UV				600	600	UV Cure	Contact Mfr
Matan 4Q 5m			•	197	Unlimited	1	4	CMYK	UV				600	600	UV Cure	Contact Mfr
Mimaki USA, 888-530-4021, MyPRINTResource.com/10006709																
JFX-1615plus		•		63	59	2	6	CMYK, W, Clear	UV LED		•	•	1200	1200	UV LED	$109,995
JFX-1631plus		•		63	122	2	6	CMYK, W, Clear	UV LED		•	•	1200	1200	UV LED	$139,995
JFX500-2131		•		82.6	122	2	6	CMYK, W,Clear	UV LED		•		1200	1200	UV LED	$190.00
UJF-3042FX		•		11.8	16.5	2	6	CMYK, W,or Clear,or primer	UV LED		•	•	1440	1200	UV LED	$36,995
UJF-3042HG		•		11.8	16.5	5.9	8	CMYK, W, Clear,Primer	UV LED		•	•	1440	1200	UV LED	$43,995
UJF-6042		•		24.0	16.5	5.9	8	CMYK, W,Clear,Primer	UV LED				1800	1800	UV LED	$59,995

WIDE-FORMAT IMAGING'S

2013 UV PRINTER CHART

Model	Printer Type			Print Size			Ink			Options			Max Resolution		Curing Technology (UV Cure / UV LED Cure)	Base Price
	Roll	Flatbed	Hybrid	Max Width (Inches)	Max Length (Inches)	Max Thickness (Inches)	Number of Colors	Colors	Ink Type	Spot Color	White Ink	Varnish	Width	Length		
UJF-706		•		27.5	23.5	6	8	CMYK, Lc, Lm, W, Clear	UV Halide		•	•	1200	1200	UV Halide	$129,995
UJV-160			•	64	varies	0.4	4	CMYK,White	UV LED		•		1200	1200	UV LED	$59,995
UJV-500	•			64	varies	0.5	5	CMYK,White	UV LED		•		1200	1200	UV LED	139,995
Polytype America, 201-995-1000, MyPRINTResource.com/10008671																
Polytype Abacus 25 (30pl & 80pl)	•	•	•	98	Flatbed mode 48, Hybrid Unlimited	3.7	7	CMYK, Lc, Lm, W	UV		•	•	1200	1200	Water Cooled UV	Contact Mfr
Polytype Abacus 35 (30pl & 80pl)	•	•	•	137	Flatbed mode 48, Hybrid Unlimited	3.7	7	CMYK, Lc, Lm, W	UV		•	•	1200	1200	Water Cooled UV	Contact Mfr
Polytype Quantum 25 (10pl)	•	•	•	98	Flatbed mode 48, Hybrid Unlimited	3.7	7	CMYK, Lc, Lm, W	UV		•	•	1200	1200	Water Cooled UV	Contact Mfr
Polytype Quantum 35 (10pl)	•	•	•	137	Flatbed mode 48, Hybrid Unlimited	3.7	7	CMYK, Lc, Lm, W	UV		•	•	1200	1200	Water Cooled UV	Contact Mfr
Polytype Virtu RR50 (30pl & 80pl)	•			197	Unlimited	0.2	7	CMYK, Lc, Lm, W	UV		•		926	1200	Water Cooled UV	Contact Mfr
swissQprint Impala	•	•	•	98	Flatbed mode 59, hybrid 157	1.97	9	CMYK, Lc, Lm, Lk, W, Primer Varnish	UV	•	•	•	900	720	UV	Contact Mfr
swissQprint Nyala	•	•	•	126	Flatbed mode 59, hybrid 156	1.97	9	CMYK, Lc, Lm, Lk, W, Primer Varnish	UV	•	•	•	900	720	UV	Contact Mfr
swissQprint Oryx	•	•	•	98	Flatbed mode 59, hybrid 157	1.97	8	CMYK, Lc, Lm, Lk, W, Primer Varnish	UV	•	•	•	900	720	UV	Contact Mfr
Roland DGA Corp., 800-542-2307, MyPRINTResource.com/10007761																
VersaUV LEC-330 Printer/Cutter	•			30		0.039	6	CMYK + White + Clear	UV		•	•	1440	1440	UV-LED	$59,995
VersaUV LEC-540 Printer/Cutter	•			54		0.039	6	CMYK + White + Clear	UV		•	•	1440	1440	UV-LED	$68,995
VersaUV LEF-12 Printer		•		12	11	3.94	6	CMYK + White + Clear	UV		•	•	1440	720	UV-LED	$19,995
VersaUV LEF-20 Printer		•		20	13	3.94	6	CMYK + White + Clear	UV		•	•	1440	720	UV-LED	$29,995
VersaUV LEJ-640 Printer			•	64		0.5	6	CMYK + White + Clear	UV		•	•	1440	1440	UV-LED	$68,995
Screen (USA), 847-870-7400, MyPRINTResource.com/10007873																
Truepress Jet W1632UV		•		62.9	125.9	1.96	6	CMYK, Lc, Lm	UV				900	900		Contact Mfr
Truepress Jet2500UV			•	98.4	Flatbed: 51.1; Roll: 164	1.9	up to 7	CMYK, Lc, Lm, W	UV				1500	1500		Contact Mfr

WIDE-FORMAT IMAGING'S

2013 UV PRINTER CHART

Model	Printer Type			Print Size			Ink			Options			Max Resolution		Curing Technology (UV Cure / UV LED Cure)	Base Price
	Roll	Flatbed	Hybrid	Max Width (Inches)	Max Length (Inches)	Max Thickness (Inches)	Number of Colors	Colors	Ink Type	Spot Color	White Ink	Varnish	Width	Length		
Seiko Instruments USA, Inc., 800-264-1272, MyPRINTResource.com/10007892																
Jetrix 1212		•		48	48	2.75	5	CMYK White	UMS		•		1440	720	UV Cure	$94,999
Jetrix KX5		•		98	51	3.93	6	CMYK White Varnish	UMS		•	•	1440	720	UC Cure	$139,999
Teckwin USA, 877-862-8040, MyPRINTResource.com/10008248 (2010 information)																
Teckwin PQ-300	•	•		57	98	3.9	6+W+C	CMYK, Lc, Lm, W, C	UV	•	•	•	57	98		Contact Mfr
Teckwin TeckPro 5000	•			196	196		6	CMYK, Lc, Lm	UV	•			196			Contact Mfr
Teckwin TS-300		•		48	96	2	6 + Wh	CMYK, Lc, Lm, W	UV	•	•	•	48	96 (72rtr)		Contact Mfr
Teckwin TS-600		•		79	120	6	6 + Wh	CMYK, Lc, Lm, W	UV	•	•	•	79 (54rtr)	120		Contact Mfr
Tecwin TeckPro 3200	•			129.9	130.3		6+W	CMYK, Lc, Lm, W	UV	•	•		130.3			Contact Mfr

Download a PDF of this chart at MyPRINTResource.com/11195267