

2014 WIDE-FORMAT IMAGING LAMINATOR Resource Chart (24" +)

Model	Type			Type				Size			Max Speed (fpm)
	Cold	Hot	Heat Assist	Roll	Flatbed	Pouch	Liquid	Max Film Width (Inches)	Max Thickness(Inches)	Core Diameter (inches)	

▼ **Advanced Greig Laminators, 608-846-1025, MyPRINTResource.com/10003621**

AGL 64C Laminator	•			•				62	2.38	3	20
AGL 64T Laminator		•		•				62	2.38	3	20
AGL 64I Laminator		•		•				62	1.25	3	20
AGL 4400 Laminator		•		•				42	1.75	3	15
AGL 6400 Laminator		•		•				62	2.38	3	20
AGL Patriot Laminator	•	•		•				62	2.38	3	30
AGL 8000R Laminator		•		•				79	2.13	3	20
AGL 8000S Laminator		•		•				79	2.13	3	20
AGL 8000T Laminator		•		•				79	2.13	3	20
AGL Compadre Laminator		•		•				62		3	10
AGL Encore DHR		•		•				62	1.19	3	15
AGL Encore Maxim		•		•				62	1.19	3	15
AGL Encore NH	•			•				62	1.19	3	15
AGL Encore SH		•		•				62	1.19	3	15

▼ **Coda Inc., 201-825-7400, MyPRINTResource.com/10004482**

Codamount Laminator 26	•		•	•				26	2	3.25	20
Codamount Laminator 34	•		•	•				34	2	3.25	20
Codamount Laminator 44	•		•	•				44	2	4.5	20
Codamount Laminator 54	•		•	•				54	2	4.5	20
Codamount Laminator 64	•		•	•				64	2	4.5	20
Cold-Mount Laminator 26	•			•				26	2	3.25	20
Cold-Mount Laminator 34	•			•				34	2	3.25	20

**Download a PDF
version of this chart
at MyPRINTResource.
com/11273161.**

	Roller Heating			Rewind/Unwind		Output Slitting (Y/N/ Optional)	Tension / Pressure		Base Price (\$USD)
	Single	Dual	Max Temp. (°F)	Rewind	Unwind		Manual	Pneumatic	
				•	•	Optional	•		\$17,500
	•		320	•	•	Optional	•		\$18,500
		•	320	•	•	Optional	•		\$29,500
		•	320	•	•	Optional		•	\$18,150
		•	320	•	•	Optional		•	\$35,500
	•		320	•	•	Optional		•	\$38,300
		•	320	•	•	Optional		•	\$55,950
		•	320	•	•	Optional		•	\$48,950
	•		320	•	•	Optional		•	\$35,500
	•		100	•	•	Y			\$9,995
		•	320	•	•	Optional	•		\$21,900
		•	320	•	•	Optional	•		\$24,400
				•	•	N	•		\$15,100
	•		320	•	•	N	•		\$16,100
	•	•	300	•	•	N	•		\$4,975
	•	•	300	•	•	N	•		\$5,570
	•	•	300	•	•	N	•		\$5,940
	•	•	300	•	•	N	•		\$6,600
	•	•	300	•	•	N	•		\$9,050
				Option	Option	N			\$2,100
				Option	Option	N			\$2,295

2014 WIDE-FORMAT IMAGING

LAMINATOR

Resource Chart (24"+)

Model	Type			Type				Size			Max Speed (fpm)
	Cold	Hot	Heat Assist	Roll	Flatbed	Pouch	Liquid	Max Film Width (Inches)	Max Thickness(Inches)	Core Diameter (inches)	
Cold-Mount Laminator 44	•			•				44	2	4.5	20
Cold-Mount Laminator 54	•			•				54	2	4.5	20

▼ CREST Dutch Machinery, +31-(0)572-345 050, MyPRINTResource.com/10611638

BL 2500	•	•	•	•				98	3	3	25
ES 1400 2R	•	•	•	•				54	2	3	18
ES 1400 4R	•	•	•	•				54	2	3	18
ES 1600 2R	•	•	•	•				60	2	3	18
ES 1600 4R	•	•	•	•				60	2	3	18
MLC 1200 2R	•	•	•	•				47	2	3	25
MLC 1200 4R	•	•	•	•				47	2	3	25
MLC 1400 2R	•	•	•	•				54	2	3	25
MLC 1400 4R	•	•	•	•				54	2	3	25
MLC 1600 2R	•	•	•	•				60	2	3	25
MLC 1600 4R	•	•	•	•				60	2	3	25
MLC 2000 2R	•	•	•	•				80	2	3	25
MLC 2000 4R	•	•	•	•				80	2	3	25
TS 1400	•	•	•	•				54	2	3	18
TS 1600	•	•	•	•				60	2	3	18
TS 2100	•	•	•	•				82	2	3	18

▼ Daige Inc., 800-645-3323, MyPRINTResource.com/10004758

EZ Glide	•						•	54			
Solo 25	•			•				25	0.50	3	7
Solo 38	•			•				38		3	7
Solo 55	•			•				55		3	7
Solo 65	•			•				65		3	7

▼ D&K Group, Inc., 800-632-2314, MyPRINTResource.com/10004751

EXP 42 Plus	•	•		•				41	0.5	3	10
EXP 42 Pouch	•	•				•		41	0.5	N/A	3
EXP 44 Twin	•	•		•				43	0.25	3	10
EXP 62 Plus	•	•		•				61	0.5	3	10
EXP 65 Plus	•	•		•				65	2	3	21
Minikote		•		•				27	1	1	9.5
Minikote EZ		•		•				27	1	1	5
Superkote 42	•	•		•				41	0.5	2	15

	Roller Heating			Rewind/Unwind		Output Slitting (Y/N/Optional)	Tension / Pressure		Base Price (\$USD)
	Single	Dual	Max Temp. (°F)	Rewind	Unwind		Manual	Pneumatic	
				Option	Option	N			\$3,595
				Option	Option	N			\$4,395

	•	•	275	•	•	Optional	•		\$42,993
	•	•	275	•	•	Optional	•		\$19,253
	•	•	275	•	•	Optional	•		\$31,264
	•	•	275	•	•	Optional	•		\$19,803
	•	•	275	•	•	Optional	•		\$32,258
	•	•	275	•	•	Optional	•		\$19,360
	•	•	275	•	•	Optional	•		\$31,748
	•	•	275	•	•	Optional	•		\$20,878
	•	•	275	•	•	Optional	•		\$34,233
	•	•	275	•	•	Optional	•		\$22,410
	•	•	275	•	•	Optional	•		\$36,705
	•	•	275	•	•	Optional	•		\$30,028
	•	•	275	•	•	Optional	•		\$50,826
	•	•	275	•	•	Optional	•		\$22,195
	•	•	275	•	•	Optional	•		\$25,823
	•	•	275	•	•	Optional	•		\$50,057

									\$695
				•		N	•		\$1,295
				•		N	•		\$1,695
				•		N	•		\$2,195
				•		N	•		\$2,700

		•	300			Y	•		\$5,915
	•		300			N	•		\$3,520
		•	230			N	•		\$15,985
		•	300			Y	•		\$11,000
		•	280	•	•	Y	•		\$19,600
		•	325			Y	•		\$1,985
		•	325			N	•		\$1,540
		•	300			N	•		\$5,505

2014 WIDE-FORMAT IMAGING LAMINATOR Resource Chart (24"+)

Model	Type			Type				Size			Max Speed (fpm)
	Cold	Hot	Heat Assist	Roll	Flatbed	Pouch	Liquid	Max Film Width (Inches)	Max Thickness(Inches)	Core Diameter (inches)	

▼ Drytac, 800-280-6013, MyPRINTResource.com/10005009

Giclee Coater							•	44	0.125		8
SmartCoater 1.6				•			•	63	0.125	3	9
SmartCoater 2.2				•			•	86	0.125	3	9
SmartCoater 3.2				•			•	128	0.125	3	6
JetMounter ML25	•			•				25.5	0.375	2.5	
JetMounter 26	•			•				26	1	3.5	18
JetMounter 34	•			•				34	1	3.5	18
JetMounter 55Fuzion			•	•				55	1	3	10
JetMounter 55SHA-HA			•	•				55	1	5	10
JetMounter 63Fuzion			•	•				63	1	5.5	10
JetMounter 63Pro		•		•				63	2	5.5	12
JetMounter 63SHA-HA			•	•				63	1	5.5	10

▼ GBC, 800-723-4000, MyPRINTResource.com/10005486

GBC 2064Ct	•		•	•				64	1	2, 2.25, 3	30
GBC 2064WF-1	•	•		•				64	1	2, 2.25, 3	18
GBC Catena 65		•		•				25	0.188	1, 2.25	5
GBC Falcon 3064WF-1	•	•		•				64	1	2, 2.25, 3	18
Spire II 54C	•			•				54	1.375	2, 2.25, 3	15
Spire II 64C	•			•				64	1.375	2, 2.25, 3	15
Spire III 44T	•	•		•				44	2	2, 2.25, 3	20
Spire III 64Ct	•		•	•				64	2	2, 2.25, 3	20
Spire III 64T	•	•		•				64	2	2, 2.25, 3	20

▼ Marabu North America LP, 888-253-2778, MyPRINTResource.com/10004451 (Showing 2012 information)

StarLam 1600 R							X	64		2, 3	
----------------	--	--	--	--	--	--	---	----	--	------	--

▼ Quality Media & Laminating Solutions, 800-552-9427, MyPRINTResource.com/10007562 (Update not available for)

Quality 64TLX			•	•				62	1	3	15
Quality 64TLX-P			•	•				62	1.25	3	20

▼ Remington Laminations, Inc., 877-317-1716, MyPRINTResource.com/10007667 (Showing 2011 information)

GFP 255C	•			•				54	10	3	15
GFP 230C	•			•				30	10	3	15

	Roller Heating			Rewind/Unwind		Output Slitting (Y/N/Optional)	Tension / Pressure		Base Price (\$USD)
	Single	Dual	Max Temp. (°F)	Rewind	Unwind		Manual	Pneumatic	

					•	N	•		Call for Pricing
				•	•	N	•		Call for Pricing
				•	•	N	•		Call for Pricing
				•	•	N		•	Call for Pricing
						N	•		\$295
					•	N	•		\$995
					•	N	•		\$1,495
	•		110	•	•	N	•		Call for Pricing
			110	•	•	N	•		Call for Pricing
	•		110	•	•	N	•		Call for Pricing
	•		248	•	•	N	•		Call for Pricing
			110	•	•	N	•		Call for Pricing

	Assist		104	•	•	Optional	•		Call for Pricing
		•	300	•	•	Optional	•		Call for Pricing
		•	320	•	•	N	•		Call for Pricing
		•	300	•	•	Y	•		Call for Pricing
				1	1	N	•		Call for Pricing
				1	1	N	•		Call for Pricing
		•	300	1	2	Optional	•		Call for Pricing
	Assist		140	1	2	N	•		Call for Pricing
		•	300	1	2	Optional	•		Call for Pricing

				X	X				\$10,995
--	--	--	--	---	---	--	--	--	----------

om manufacturer. Showing 2012 information)

	•		265	X	X	N	•		\$7,600
	•		265	X	X	N	•		\$8,600

					X	N	•		\$3,995
					X	N	•		\$2,495

2014 WIDE-FORMAT IMAGING LAMINATOR Resource Chart (24"+)

Model	Type			Type				Size			Max Speed (fpm)
	Cold	Hot	Heat Assist	Roll	Flatbed	Pouch	Liquid	Max Film Width (Inches)	Max Thickness(Inches)	Core Diameter (inches)	
GFP 455TH	•		•	•				54	10	3	15
GFP 463TH	•		•	•				63	10	3	15
SEAL 44 ULTRA PLUS	•	•		•				44	10	3	15
SEAL 54 BASE	•		•	•				54	10	3	15
SEAL 62 BASE	•		•	•				62	10	3	15
SEAL 62 PRO D	•	•		•				62	10	3	15
SEAL 62 S	•	•		•				62	10	3	15
SEAL 62 ULTRA	•	•		•				64	10	3	15
SEAL 65 PRO MD	•	•		•				62	10	3	15

▼ **Royal Sovereign, 800-397-1025, www.royalsovereign.com**

RSC-1050CL	•			•				41	0.28	3	11.5
RSC-1401CW	•			•				55	1	3	16.4
RSC-1401HW			•	•				55	1	3	16.4
RSC-1650LS	•			•				65	1	3	16.4
RSC-1650LSH			•	•				65	1	3	16.4
RSC-820CLS	•			•				32	0.28	3	8.2
RSH-1151	•	•		•				45	0.6	2.25, 3	13.1
RSH-1651	•	•		•				65	0.6	2.25, 3	13.1
RSH-380SL		•		•				15	0.24	3, 2.25, (1 Optional)	14.8
RSL-2700		•		•				27	0.02	1 (2.25, 3 Optional)	5.9
RSL-2701S		•		•				27	0.06	1	7.9
RSL-2702	•	•		•				27	0.24	3, 2.25, (1 Optional)	8.2
RSS-1145	•	•		•				45	0.6	3	25

▼ **SEAL, 410-540-8900, MyPRINTResource.com/10006859**

NESCHEN Accu-18XE							•	18			20
SEAL 44 Ultra Plus	•	•		•				44	0.5		5
SEAL 44 Ultra S Plus	•	•		•				44	0.5		5
SEAL 54 Base			•	•				54	2		16.4
SEAL 54 EL	•			•				54	1		14
SEAL 65 EL	•			•				65	1		14
SEAL 62 Base			•	•				61	2		16.4

	Roller Heating			Rewind/Unwind		Output Slitting (Y/N/Optional)	Tension / Pressure		Base Price (\$USD)
	Single	Dual	Max Temp. (°F)	Rewind	Unwind		Manual	Pneumatic	
			140		•	N	•		\$6,795
			140		•	N	•		\$7,295
		•	275		•	N	•		\$9,093
	•		120		•	N	•		\$10,970
	•		120		•	N	•		\$11,794
		•	275		•	N	•		\$23,443
	•		275		•	N	•		\$18,926
	•	•	275		•	N	•		\$10,769
		•	275		•	N		•	\$34,955

				•	•	N	•		\$4,483
				•	•	N	•		\$6,333
	•		122	•	•	N	•		\$6,833
				•	•	N	•		\$7,617
	•		122	•	•	N	•		\$8,442
				•	•	N	•		\$3,152
		•	320	•	•	N	•		\$9,968
		•	320	•	•	N	•		\$11,060
		•	320	•	•	N	•		\$2,012
		Hot Shoe	302		•	N	•		\$1,367
		X	302		•	N	•		\$2,083
		X	302	•	•	N	•		\$3,447
		Hot Shoe	320	•	•	Optional	X		\$14,282

									\$5,619
		•	250	•	•	N	X		\$9,093
	•		250	•	•	N	X		\$7,775
	•		104	•	•	N	X		\$10,970
				•	•	N	X		\$5,980
				•	•	N	X		\$7,699
	•		104	•	•	N	X		\$11,794

2014 WIDE-FORMAT IMAGING LAMINATOR Resource Chart (24"+)

Model	Type			Type				Size			Max Speed (fpm)
	Cold	Hot	Heat Assist	Roll	Flatbed	Pouch	Liquid	Max Film Width (Inches)	Max Thickness(Inches)	Core Diameter (inches)	
SEAL 62 Pro D	•	•		•				61	1.5		20
SEAL 62 Pro S	•	•		•				61	1.5		20
SEAL 62 Ultra Plus	•	•		•				61	0.5		5
SEAL 62 Ultra S Plus	•	•		•				61	0.5		5
SEAL 65 Pro MD	•	•		•				65	2		15
SEAL Image 80 Pro	•	•		•				80	1.5		20

▼ **Supply55, 877-550-5590, MyPRINTResource.com/10008185**

Guardian Laminator - Cold	•			•				65	1/2"	3	23
Guardian Laminator - Heat Assist	•		•	•				65	1/2"	3	23

▼ **USI, 800-282-9290, MyPRINTResource.com/10008502**

ARL 2700		•		•				27	0.125	1	9.5
ARL 2700 Pro Heated Roller		•		•				27	0.25	1	9.5
ARL 4000		•		•				40	0.125	1	9.5
ARL 4000 Pro Heated Roller		•		•				40	0.25	1	9.5
CSL 2700		•		•				27	0.125	1	5
Jet Mounter 26-1/2 Cold Laminator	•							26	0.5	3	10
Jet Mounter 44 Cold Laminator	•							44	0.5	3	10
Jet Mounter 54 Cold Laminator	•							54	0.5	3	10
Samson 63 Heated Roller	•	•		•				63	1	3	10
Solo 25 Cold Laminator	•							25	0.5	3	7.5
Solo 38 Cold Laminator	•							38	0.5	3	7.5
Solo 55 Cold Laminator	•							55	0.5	3	7.5
Solo 65 Cold Laminator	•							65	0.5	3	7.5

	Roller Heating			Rewind/Unwind		Output Slitting (Y/N/Optional)	Tension / Pressure		Base Price (\$USD)
	Single	Dual	Max Temp. (°F)	Rewind	Unwind		Manual	Pneumatic	
		•	284	•	•	Optional	•		\$23,443
	•		284	•	•	N	•		\$18,926
		•	250	•	•	N	•		\$10,769
	•		250	•	•	N	•		\$9,333
		•	275	•	•	Optional		•	\$34,495
		•	284	•	•	Y	•		\$32,334

	•		122f	•	•		•		\$5,495
	•		122f	•	•		•		\$6,495

		•	300	•		Optional	•		\$1,099
		•	300	•		Optional	•		\$1,399
		•	300	•		Optional	•		\$1,899
		•	300	•		Optional	•		\$3,499
		•	300	•		Optional	•		\$799
	•			•		N	•		\$995
	•			•		N	•		\$3,995
	•			•		N	•		\$5,295
		•	300	•	•	Y	•		\$18,192
	•			•		N	•		\$1,199
	•			•		N	•		\$1,569
	•			•		N	•		\$1,999
	•			•		N	•		\$2,499